



**LAWN MOWER,
YARD TRACTOR
& ZERO TURN RANGE
2015**



THE SERIOUS CHOICE

SERIOUS EXPERT SUPPORT

// ...RIGHT FROM THE **BEGINNING**

Builder of the industry's first self-propelled rotary mower in 1951, Snapper® has been the leader in making yard work easier. Today, Snapper offers one of the widest selections of power equipment for your yard or garden. Tractors, riding mowers and walk mowers feature easy operation, streamlined design and easy convertibility from side discharge to rear discharge to bagging or mulching. Like our satisfied owners say, it's as easy as it gets. //

Your specialist Snapper® dealer will offer you the best advice and recommend the Snapper mower or tractor that offers the ultimate performance to suit your needs.

Supporting you every step of the way

- Expert advice
- Product instruction
- Product selection guidance
- Test drives
- Blade sharpening
- Servicing and parts
- Pick up and delivery
- Assembly and set up
- Seasonal maintenance
- Trade-ins



THE SERIOUS CHOICE

NX SERIES LAWMOWERS	04 - 07
ALUMINIUM DECK LAWMOWERS	08
RX REAR ENGINE RIDERS	09 - 11
RPX REAR DISCHARGE TRACTORS	12 - 13
RXT REAR DISCHARGE TRACTOR	14 - 15
SPX™ SIDE DISCHARGE TRACTORS	16 - 17
NXT™ SIDE DISCHARGE TRACTOR	18 - 19
YTX TRACTOR	20 - 21
ZTX ZERO TURNS	22 - 25
SPECIFICATIONS	26 - 30
ACCESSORIES	31



READYSTART®



ELECTRONIC FUEL MANAGEMENT
STARTING MADE SIMPLE.


OUR TECHNOLOGIES EXPLAINED...

The **ReadyStart®** starting package eliminates the need to manually prime or choke the engine before starting. Briggs & Stratton guarantees on all its ReadyStart® equipped engines with the S2 Start Guarantee®. This starting guarantee offers peace of mind that the engine will start within two pulls every time. For complete details on the S2 Start Guarantee® see www.briggsandstratton.com

Anti Vibration System (AVS®) equipped engines feature a patented linear balancing system that eliminates side-to-side motion of traditional counter and rotating balance designs to provide a smooth ride and extend equipment life. This means up to an 80% reduction in engine vibration and less wear and tear on your engine, your equipment and you. Available on single cylinder large vertical shaft engines.

Electronic Fuel Management (EFM) is a system to simplify & optimize engine startup and provide the easiest starting system for ride engines.

NX-SERIES LAWN MOWERS



Hard-wearing steel decks, high rear wheels on selected mowers and a single lever operated height of cut adjustment. There is a choice of three cutting widths and two collection box capacities.

Choose from 3-in-1 or 4-in-1 clipping convertibility, plus each model is either equipped with a mulching function as standard or offers it as an optional extra, which means the lawn can benefit from a nutrient boost every time its mown.

The Snapper® NX range is powered by Briggs & Stratton® engines which offer a number of benefits including reduced emissions and technology for quick and easy starting.

NX-SERIES

MOWING EXCELLENCE

Mow your lawn at your own pace with the NX-30 or let the NX-40 set the speed for you. These mowers are ideal options for gardeners with small to medium sized lawns. The NX-50 and NX-60 offer an increased cutting width. The latter comes with a hard top bag and is self propelled.

NX-30



Briggs & Stratton 450E SERIES™ OHV
Recoil start
Push
Bagging and rear discharge, mulching optional
Cutting width: 42 cm
Bag capacity: 60 litres
2-Year limited warranty

NX-40



Briggs & Stratton 500E SERIES™ OHV
Recoil Start
Self propelled - single speed
Bagging and rear discharge, mulching optional
Cutting width: 42 cm
Bag capacity: 60 litres
2-Year limited warranty

NX-50



Briggs & Stratton 500E SERIES™ OHV
Recoil start
Push
Bagging and rear discharge, mulching optional
Cutting width: 46 cm
Bag capacity: 60 litres
2-Year limited warranty

NX-60



Briggs & Stratton 575EX SERIES™ OHV
Recoil start, ReadyStart®
Self propelled - single speed
Bagging and rear discharge,
mulching optional
Cutting width: 46 cm
Bag capacity: 60 litres
2-Year limited warranty

NX-SERIES LAWNMOWERS

READYSTART®



NX-80

Briggs & Stratton 750EX SERIES™ DOV®
Recoil start, ReadyStart®
Self propelled - variable speed
Bagging, mulching, side and rear discharge
Cutting width: 46 cm
Bag capacity: 60 litres
2-Year limited warranty

NX-90V

Briggs & Stratton 875EX SERIES™
Recoil start, ReadyStart®
Self propelled - variable speed
Hi-Speed transmission
Forward speed: 2,8 - 5,5 km/h
Bagging, mulching, side and rear discharge
Cutting width: 53 cm
Bag capacity: 70 litres
2-Year limited warranty

HI-SPEED TRANSMISSION



NX-100 NINJA® MULCHING

Briggs & Stratton 875EX SERIES™
Recoil start, ReadyStart®
Self propelled - variable speed
Forward speed: 1,9 - 6,4 km/h
Mulching and side discharge
Cutting width: 53 cm
Ninja® mulching blades
2-Year limited warranty



MOWING EXCELLENCE

The top-of-the-line NX-90S is Snapper's latest innovation. Built on the successful NX-Series platform this mower features the latest innovation in engine technology: InStart®. You don't have to pull the cord anymore to start the engine. A gentle push on the button is enough to unleash it's power.

The NX-90S also features a 70 litre hard top collection bag and mulching comes as standard so the lawn can benefit from a nutrient boost every time it is mown.

instart^{is}
INSTANT STARTING TECHNOLOGY

Push button start
No choking, no priming, no pulling!

Ergonomic handlebar
The ergonomically shaped handlebar together with foam padding ensures maximum comfort.

Variable speed
You set the pace.

Height-adjustable handlebar
Adjustable in three positions and is fully foldable for easy storage.

InStart® Lithium-Ion battery
More than 50 starts from a fully charged battery. (more than 10 from a quick charge)

Ball bearings
Durable ball bearings ensure a smooth ride for a long time.

Large 28 cm rear wheels
Better traction and manoeuvrability.

4-in-1 functionality
Besides bagging, mulching en rear discharging with the supplied chute you can side discharge clippings.

NX-90S

Briggs & Stratton 775IS SERIES™ DOV®

InStart® push button start

Self propelled - variable speed

Bagging, mulching, side and rear discharge

High rear wheels

Cutting width: 53 cm

Bag capacity: 70 litres

2-Year limited warranty



Quick charger included



Centralized 6 position height-of-cut



ALUMINIUM DECK - NOTHING STOPS IT

ALUMINIUM DECK LAWN MOWERS

For effortless mowing and extra durability these 3-in-1 self propelled mowers have aluminium decks and protective front bumpers allowing them to sustain an impact without damaging the deck.

The rear deck can quickly be converted into mulching mode and each mower will either mulch cuttings, collect them in the collection bag or discharge them. The handles fold up neatly for easy storage.

Choose from a 48 cm or 53 cm cutting widths depending on the size of the lawn and single and variable speed options to suit your preferred mowing style.



Model Illustrated: ESPV21875AL

ESPS19875AL

Briggs & Stratton 875EX SERIES™ OHV
Recoil start, ReadyStart®
Self propelled - single speed (3,6 km/h)
Bagging, mulching (mulchplug included) and rear discharge
Cutting width: 48 cm
Bag capacity: 65 litres
Front and rear ball bearings
Rear wheel drive
Cast aluminium Deck
2-Year limited warranty

ESPV21875AL

Briggs & Stratton 875EX SERIES™ OHV
Recoil start, ReadyStart®
Self propelled - variable speed (2,8 - 4,5 km/h)
Bagging, mulching (mulchplug included) and rear discharge
Cutting width: 53 cm
Bag capacity: 70 litres
Front and rear ball bearings
Rear wheel drive
Cast aluminium Deck
2-Year limited warranty

RX REAR ENGINE RIDERS



RX REAR ENGINE RIDERS

The small but perfectly formed Snapper® RX Rear Engine Riders are equipped with OHV, AVS® (Anti Vibration System) single cylinder engines. Each has a tough steel frame chassis, welded steel front axles and a convenient eight litre fuel capacity.


Each rider features an electric start and two models within the range have an additional recoil start and time tested variable speed disc drive transmission. The RX17533H features a hydrostatic transmission drive system with foot controls.

These mowers have a tight 50 cm turning radius so mowing around trees and other obstacles can be done with ease. The RX range offers cutting widths between 71 cm and 84 cm to suit varying lawn sizes and depending on how short or long you prefer to cut your grass there are six height of cut positions to choose from; 32 mm – 95 mm.

Each rider has a manually engaged, one blade mower deck which can be converted from mulching to side discharge simply and quickly.

Adjustable seats can be altered to suit the user to ensure the most comfortable mowing position, plus the RX17533H comes with a headlight as standard and as an optional extra for the RX11528 and RX12533.

These RX mowers, together with their famous Snapper Hi Vac® frame hung mower decks, are easy to use, comfortable to ride and offer exceptional performance and Snapper® durability.



Hi Vac® mowing deck



Variable speed disc drive transmission



Toolless changeover from mulching to side discharge



Step-through platform design



Soft touch steering wheel

KING OF THE RIDERS



All steel bodyparts
The RX was built to last.

8 litre fuel tank

Manual deck engagement
Easily engage the deck with the ergonomically placed lever.

6 position height-of-cut
Choose your preferred cutting height between 3,2 and 9,5 cm.

Foot operated control
with hydrostatic transmission.



Model Illustrated: RX17533H

Welded steel pivoting front axle
The rigid front axle ensures maximum control while manoeuvring.

84 cm Hi Vac® mowing deck
Offers both mulching and side discharge capabilities.

RX11528

Briggs & Stratton Intek Series™ 3115 with AVS®
Mowing deck: 71 cm Hi Vac®
Variable speed disc drive transmission
Fuel capacity: 8 litres
Forward speed: 1,4 - 6,2 km/h
Reverse speed: 0 - 2,6 km/h
Tyres front/rear: 13" x 5" / 16" x 6,5"
Dimensions (LxWxH): 168 x 81 x 109 cm
Weight: 171 kg
Warranty: 3-year limited

RX12533

Briggs & Stratton Intek Series™ 3125 with AVS®
Mowing deck: 84 cm Hi Vac®
Variable speed disc drive transmission
Fuel capacity: 8 litres
Forward speed: 1,4 - 6,2 km/h
Reverse speed: 0 - 2,6 km/h
Tyres front/rear: 13" x 5" / 16" x 6,5"
Dimensions (LxWxH): 168 x 94 x 109 cm
Weight: 179 kg
Warranty: 3-year limited

RX17533H

Briggs & Stratton Intek Series™ 4175 with AVS®
Mowing deck: 84 cm Hi Vac®
Hydrostatic transmission
Fuel capacity: 8 litres
Forward speed: 0 - 6,8 km/h
Reverse speed: 0 - 2,7 km/h
Tyres front/rear: 13" x 5" / 16" x 6,5"
Dimensions (LxWxH): 168 x 94 x 109 cm
Weight: 184 kg
Warranty: 3-year limited

RPX REAR DISCHARGE MOWERS

Put yourself at the forefront of mowing excellence. The RPX rear discharge mowers offer the very best in comfort due to the hydrostatic drive system. These easy steering mowers have a lever on the right hand side that allows you to quickly and easily empty the 350 litre collection bag without even leaving your seat, plus each mower is equipped with cruise control as standard.

Powered by legendary Briggs & Stratton® engines, each mower has a dashboard equipped with electric PTO (Power Take-Off) switch, which will quickly start the mower or push it into a stop. Seven height of cut positions between 38 mm and 89 mm allow you to choose the right height of cut to suit you.

These hardworking mowers are easy to use and will leave lawns looking great.



ENGINEERED TO PERFECTION



RPX100 - 2015 UPGRADE

Briggs & Stratton Intek Series™ 4195 with AVS®
 Mowing deck: 96 cm
 Fuel capacity: 11 litres
 Forward speed: 0 - 9,0 km/h
 Reverse speed: 0 - 4,5 km/h
 Tyres front/rear: 15" x 6" / 20" x 8"
 Dimensions (LxWxH): 241 x 101 x 111 cm
 Weight: 274 kg
 Warranty: 3-year limited

RPX200 - 2015 UPGRADE

Briggs & Stratton Intek Series™ 7220 V-Twin
 Mowing deck: 96 cm
 Fuel capacity: 11 litres
 Forward speed: 0 - 9,0 km/h
 Reverse speed: 0 - 4,5 km/h
 Tyres front/rear: 15" x 6" / 20" x 8"
 Dimensions (LxWxH): 241 x 101 x 111 cm
 Weight: 274 kg
 Warranty: 3-year limited



The rigid steel mowing deck houses two redesigned blades that offer top notch collecting performance.



Ergonomically designed dash board with hour and fuel meter, cruise control



3,8 - 8,9 cm height-of-cut adjustable in 7 positions

RXT REAR DISCHARGE TRACTORS

Responsive, intelligent, comfortable and powerful. The updated Snapper® RXT300 really is a cut above the rest. This mower has a multitude of innovative extras to ensure the best possible mowing experience.

The responsive dashboard will tell you when fuel is low and when the mower is ready for servicing. The mower has LED headlights fitted as standard, which last up to 100,000 hours, so there is no need to worry about changing them for a while. Height of cut adjustment has been made almost effortless and can be controlled by an easy to access lever and the large 350 litre rear grass collector, gives you more time to mow and can be emptied by pulling a lever on the right hand side of the seat.

The 107 cm deck will cover ground quickly and two blades work hard underneath the machine to give a sharp cut and brilliant finish.



CONTINUOUS INNOVATION



RXT300 - 2015 UPGRADE

Briggs & Stratton Professional Series™ 8270 V-Twin

Mowing deck: 107 cm

Fuel capacity: 11 litres

Forward speed: 0 - 9,0 km/h

Reverse speed: 0 - 4,5 km/h

Tyres front/rear: 15" x 6" / 22" x 9,5"

Dimensions (LxWxH): 256 x 112 x 121 cm

Weight: 280 kg

Warranty: 3-year limited

The Professional Series™ 8270 V-Twin engine features full pressure lubrication, cartridge style air cleaner and a spin-on oil filter.



107 cm asymmetrical deck with redesigned blades



Mini Dash with hour meter, battery voltage and maintenance reminder



3,8 - 8,9 cm height-of-cut adjustable in 7 positions

SPX™ SIDE DISCHARGE TRACTORS

Featuring powerful Briggs & Stratton Intek™ Series engines, the SPX™ range provides superior cutting and handling under a variety of mowing conditions.

Tough gauge wheels are fitted on all four corners of the mowing deck offering additional protection. The durable pivoting cast iron front axle provides the SPX tractor with an excellent turning radius of 36 cm, which will make short work of manoeuvring around complex gardens.

The SPX is stylish and offers an enhanced mowing experience for gardeners with larger lawns.



SPX200



LED headlights
These powerful LED headlights light the path. (Standard bulbs on the SPX100).

Cruise control
SPX200 only.

Comfortable seat
The adjustable 15" high back seat is adjustable in 9 positions. (13" mid back seat for SPX100).

Cast-iron front axle
The cast-iron pivoting front axle smoothly tracks over rough terrain for an even cut.

Electric PTO
Both SPX models are equipped with electric PTO for engaging the mowing deck.

Rigid steel mowing deck
Cutting height is adjustable in 7 positions between 3,8 - 10,2 cm. Choose between 107 or 117 cm cutting width.

SPX100

Briggs & Stratton Intek Series™ 4175 with AVS®
Mowing deck: 107 cm
Fuel capacity: 13,2 litres
Forward speed: 0 - 8,9 km/h
Reverse speed: 0 - 4,8 km/h
Tyres front/rear: 15" x 6" / 20" x 8"
Dimensions (LxWxH): 182 x 88 x 114 cm
Weight: 207 kg
Warranty: 3-year limited

SPX200

Briggs & Stratton Intek™ Series 7220 V-Twin
Mowing Deck: 117 cm
Fuel Capacity: 13,2 litres
Forward speed: 0 - 8,9 km/h
Reverse speed: 0 - 4,8 km/h
Tyres front/rear: 15" x 6" / 22 x 10"
Dimensions (LxWxH): 180 x 98 x 114 cm
Weight: 242 kg
Warranty: 3-year limited



Durable pivoting cast-iron front axle



Ergonomically designed dash board



7 position height-of-cut

NXT™ SIDE DISCHARGE TRACTORS

The Snapper® NXT300 tractor is sleek, features automotive inspired styling and takes the Snapper mowing experience to the next level.

The digital dashboard display means you will receive important information on fuel consumption, running hours, and height of cut straight to the dashboard. Plus the mower's built in maintenance reminder tells you when to change the oil, air filter or sharpen the blades.

Height of cut can be adjusted electronically in just a few seconds and the mowers' seat has been specially designed to keep you cooler and more comfortable. To top it off the NXT300 has a revolutionary cutting system featuring a 117 cm three-blade steel mowing deck.



THE NXT GENERATION IS NOW



NXT300

Briggs & Stratton Professional Series™ 8230 V-Twin

Mowing deck: 117 cm

Fuel capacity: 13,2 litres

Forward speed: 0 - 9,0 km/h

Reverse speed: 0 - 6,0 km/h

Tyres front/rear: 15" x 6" / 20" x 10"

Dimensions (LxWxH): 181 x 98 x 115 cm

Weight: 242 kg

Warranty: 3-year limited

This 8230 V-Twin engine is equipped with Electronic Fuel Management which makes choking a thing of the past. Full pressure lubrication, cartridge style air cleaner and spin-on oil filter come standard.




ELECTRONIC FUEL MANAGEMENT
STARTING MADE SIMPLE.



Digital dashboard



LED headlights



Three blade mower deck

YTX SIDE DISCHARGE TRACTORS

Cutting power, exceptional traction, superior comfort, durability and a great multi-tasker, the YTX yard tractor is truly exceptional. With the largest cutting width of the range at 132 cm the deck cuts grass beautifully leaving a professional finish. Automatic Controlled Traction minimises wheel slippage so even wet lawns can be tackled safely.

The YTX is fitted with the Operator Comfort Package as standard. This includes cruise control, electric power-take-off, soft grip steering wheel and a 45 cm padded high back seat. Additionally the YTX offers a deluxe dashboard with rpm meter, digital fuel and height-of-cut meters and a maintenance reminder. Superior comfort, durability and grass cutting power is at the heart of this mower.

Built from 3.4 mm thick steel the YTX400 is made for performance and durability. Together with the strong cast-iron front axle it will perform for years to come.



SMOOTH CUT, STUNNING RESULTS



YTX400

Briggs & Stratton Professional Series™ 8240 V-Twin

Mowing deck: 132 cm

Fuel capacity: 15,1 litres

Forward Speed: 0 - 9,3 km/h

Reverse Speed: 0 - 5,6 km/h

Tyres front/rear: 15" x 6" / 22" x 10"

Dimensions (LxWxH): 190 x 105 x 119 cm

Weight: 294 kg

Warranty: 3-year limited

The Briggs & Stratton Professional Series™ 8240 V-Twin engine provides plenty of power and comes with full pressure lubrication, cartridge style air cleaner and spin-on oil filter.



Attachment lift lever



Deluxe dashboard



Cruise control

ZTX ZERO TURNS

This compact zero turn is a proud member of the Snapper line up for a few years now. The ZTX100 is very maneuverable and the seating position provides you excellent visibility. The zero turn with pivoting front axle gives you a smooth ride, improved traction and comfort. Plus it gives you a great quality of cut.

As if extensions of your arms, the soft-touch, twin-lever controls let you effortlessly glide through turns and around obstacles. Just like a professional. A lot of thought went into making the controls fit like a glove. Throttle, mower engagement and electric height-of-cut are at your fingertips.



WORK LESS PLAY MORE



ZTX100

Briggs & Stratton Intek™ Series 7200 V-Twin engine
Mowing deck: 107 cm
Fuel capacity: 11,4 litres
Forward speed: 0 - 9,6 km/h
Reverse speed: 0 - 4,8 km/h
Tyres front/rear: 11 x 4" / 18 x 8.5"
Dimensions (LxWxH): 190 x 107 x 99 cm
Weight: 251 kg
Warranty: 3-year limited



The Briggs & Stratton Intek Series™ 7200 V-Twin engine provides consistent and reliable starting.



Easy to use controls



Rear bumper



Soft-touch, twin-lever controls

ZTX ZERO TURNS

A woman with brown hair in a ponytail, wearing a black sleeveless top and white pants, is driving a red Snapper ZTX300 zero-turn mower. She is smiling and looking to the right. The mower is red with black accents and has 'ZTX300' printed on the side. The background is a lush green garden with trees and a blue sky with light clouds.

There is no better way to mow your lawn than with a Snapper® ZTX300. You will trim around trees and garden features with ease. You can mow straight, parallel lines in open areas quickly and superbly. Plus you will finish faster, enjoy it more, have a beautiful lawn to enjoy and be the envy of all of your neighbours.

This mower is comfortable, low maintenance and great fun to use. Packed with features that will take your mowing experience to the next level, including easy to use controls, front dampening shocks and a hydrostatic transmission. In addition, the mower has seven height of cut positions that can be adjusted using a convenient clip and pin design which locks in at each height.

WORK LESS PLAY MORE



ZTX300

Briggs & Stratton Commercial Turf Series™ 8270 V-Twin engine
Mowing deck: 132 cm
Fuel capacity: 24 litres
Forward speed: 0 - 11,3 km/h
Reverse speed: 0 - 8,0 km/h
Tyres front/rear: 11 x 4" / 20 x 8"
Dimensions (LxWxH): 198 x 107 x 108 cm
Weight: 315 kg
Warranty: 3-year limited



Briggs & Stratton's durable Commercial Turf Series™ 8270 V-Twin engine features an integrated cyclonic airfilter, oil filter and pressure lubrication.



Front ride-dampening shocks



Hydro-Gear® hydrostatic transmission



Easy to use controls

EXCEPTIONAL PERFORMANCE

SPECIFICATIONS WALK BEHIND LAWN MOWERS

Model Name	NX-30	NX-40	NX-50	NX-60	NX-80
Power					
Engine Model	Briggs & Stratton 450E SERIES™ OHV	Briggs & Stratton 500E SERIES™ OHV	Briggs & Stratton 500E SERIES™ OHV	Briggs & Stratton 575EX SERIES™ OHV	Briggs & Stratton 750EX SERIES™ DOV®
Displacement	125cc	140cc	140cc	140cc	161cc
Starting System	Recoil	Recoil	Recoil	Recoil, ReadyStart®	Recoil, ReadyStart®
Deck					
Size (Cutting Width)	42 cm	42 cm	46 cm	46 cm	46 cm
Deck Material	Steel	Steel	Steel	Steel	Steel
Height Adjust	1 point / 28 - 92 mm	1 point / 28 - 92 mm			
Blade Type	High Lift	High Lift	High Lift	High Lift	High Lift
Wheels					
Wheel Size (Front / Rear)	18 cm / 18 cm	18 cm / 20 cm	18 cm / 18 cm	18 cm / 28 cm	18 cm / 28 cm
Transmission					
Transmission Style	Push	Self Propelled	Push	Self Propelled	Self Propelled
Drive Type	-	Single Speed	-	Single Speed	Variable Speed
Forward Speeds	-	3,6 km/h	-	3,6 km/h	2,8 - 4,5 km/h
Other Features					
Handle Type	Ergo, full fold	Ergo, full fold	Ergo, full fold	Ergo, full fold, foam	Ergo, full fold, foam
Bag Type	Soft textile	Soft textile	Soft textile	Soft textile with hard top	Soft textile with hard top
Bag Full Indicator	No	No	No	Yes	Yes
Bag Capacity	60 litres	60 litres	60 litres	60 litres	60 litres
Rear Discharge	Yes	Yes	Yes	Yes	Yes
Side Discharge	-	-	-	-	Yes
Mulching option	Optional	Optional	Optional	Optional	Included
Wash Port	-	-	-	Yes	Yes
Weight	25 kg	28 kg	26 kg	33 kg	37 kg
Warranty	2-Year Limited*	2-Year Limited*	2-Year Limited*	2-Year Limited*	2-Year Limited*

* Applies to residential use only. See operator's manual for complete warranty details. Length of engine warranty coverage varies by manufacturer.

SNAPPER® DURABILITY

NX-90V	NX-90S	NX-100	ESPS19875AL	ESPV21875AL	Model Name
					Power
Briggs & Stratton 875EX SERIES™ OHV	Briggs & Stratton 775IS SERIES™ DOV®	Briggs & Stratton 875EX SERIES™ OHV	Briggs & Stratton 875EX SERIES™ OHV	Briggs & Stratton 875EX SERIES™ OHV	Engine Model
190cc	161cc	190cc	190cc	190cc	Displacement
Recoil, ReadyStart®	InStart®, ReadyStart®	Recoil, ReadyStart®	Recoil, ReadyStart®	Recoil, ReadyStart®	Starting System
					Deck
53 cm	53 cm	53 cm	48 cm	53 cm	Size (Cutting Width)
Steel	Steel	Steel	Aluminium	Aluminium	Deck Material
1 point / 28 - 92 mm	1 point / 28 - 92 mm	4 point / 32 - 102 mm	1 point / 20 - 75 mm	1 point / 25 - 76 mm	Height Adjust
High Lift	High Lift	Ninja® mulching	Multi Purpose	Multi Purpose	Blade Type
					Wheels
20 cm / 28 cm	20 cm / 28 cm	20 cm / 25 cm	20 cm / 20 cm	20 cm / 23 cm	Wheel Size (Front / Rear)
					Transmission
Self Propelled	Self Propelled	Self Propelled	Self Propelled	Self Propelled	Transmission Style
Variable Speed	Variable Speed	Variable Speed	Single Speed	Variable Speed	Drive Type
2,8 - 5,5 km/h	2,8 - 4,5 km/h	1,9 - 6,4 km/h	3,6 km/h	2,8 - 4,5 km/h	Forward Speeds
Hi-Speed					
					Other Features
Ergo, full fold, foam	Ergo, full fold, foam	Ergo with foam grip	Ergo, full fold	Ergo, full fold	Handle Type
Soft textile with hard top	Soft textile with hard top	Optional	Soft textile	Soft textile	Bag Type
Yes	Yes	-	Yes	Yes	Bag Full Indicator
70 litres	70 litres	-	65 litres	70 litres	Bag Capacity
Yes	Yes	-	Yes	Yes	Rear Discharge
Yes	Yes	Yes	-	-	Side Discharge
Included	Included	Standard	Included	Included	Mulching option
Yes	Yes	-	-	-	Wash Port
38 kg	38 kg	43 kg	42 kg	51 kg	Weight
2-Year Limited*	2-Year Limited*	2-Year Limited*	2-Year Limited*	2-Year Limited*	Warranty

EXCEPTIONAL PERFORMANCE

SPECIFICATIONS REAR ENGINE RIDERS, REAR AND SIDE DISCHARGE TRACTORS

Model Name	RX11528 Rear Engine Rider	RX12533 Rear Engine Rider	RX17533H Rear Engine Rider	RPX100 Rear Discharge	RPX200 Rear Discharge
Power					
Engine Model	Briggs & Stratton Intek™ Series 3115 OHV, AVS®	Briggs & Stratton Intek™ Series 3125 OHV, AVS®	Briggs & Stratton Intek™ Series 4175 OHV, AVS®	Briggs & Stratton Intek™ Series 4195 OHV, AVS®	Briggs & Stratton Intek™ Series 7220 V-Twin OHV
Cylinders	1	1	1	1	2
Starting System	Electric Start				
Fuel Capacity	8 litres	8 litres	8 litres	11 litres	11 litres
Transmission					
Drive Type	Disc Drive	Disc Drive	Hydrostatic	Hydrostatic	Hydrostatic
Forward Speed	1,4 - 6,2 km/h	1,4 - 6,2 km/h	0 - 6,8 km/h	0 - 9,0 km/h	0 - 9,0 km/h
Reverse Speed	0 - 2,6 km/h	0 - 2,6 km/h	0 - 2,7 km/h	0 - 4,5 km/h	0 - 4,5 km/h
Chassis					
Frame	Steel	Steel	Steel	Steel	Steel
Tyres Front	13" x 5"	13" x 5"	13" x 5"	15" x 6"	15" x 6"
Tyres Rear	16" x 6,5"	16" x 6,5"	16" x 6,5"	20" x 8"	20" x 8"
Turning Radius	51 cm	51 cm	51 cm	36 cm	36 cm
Deck / Attachment Lift	Manual / -				
Dimensions					
Length	168 cm	168 cm	168 cm	241 cm	241 cm
Width	81 cm	94 cm	94 cm	96 cm	96 cm
Height	109 cm	109 cm	109 cm	111 cm	111 cm
Wheel Base	122 cm	122 cm	124 cm	131 cm	131 cm
Weight	171 kg	179 kg	184 kg	274 kg	274 kg
Mower					
Cutting Width	71 cm	84 cm	84 cm	96 cm	96 cm
Mower Deck	Hi Vac® Frame Hung	Hi Vac® Frame Hung	Hi Vac® Frame Hung	Frame Hung	Frame Hung
Collector Capacity	-	-	-	350 litres	350 litres
Cut Range	6 positions / 32 - 95 mm	6 positions / 32 - 95 mm	6 positions / 32 - 95 mm	7 positions / 38 - 89 mm	7 positions / 38 - 89 mm
Blades	1	1	1	2	2
Other Features					
Mulching Kit	Mulch Cover Installed	Mulch Cover Installed	Mulch Cover Installed	Included	Included
Single Bag Collector	Optional	Optional	Optional	Included	Included
Twin Bag Collector	Optional	Optional	Optional	-	-
Triple Bag Collector	-	-	-	-	-
Gauge Wheel Kit	-	-	-	Included	Included
92 cm Dozer Blade	-	-	-	Optional	Optional
Snowthrower	-	-	-	Optional	Optional
Warranty	3-Year Limited*				

* Applies to residential use only. See operator's manual for complete warranty details. Length of engine warranty coverage varies by manufacturer.

SNAPPER® DURABILITY

RXT300 Rear Discharge	SPX100 Side Discharge	SPX200 Side Discharge	NXT300 Side Discharge	YTX400 Yard Tractor	Model Name
Briggs & Stratton Professional™ Series 8270 V-Twin OHV 2 Electric Start 11 litres	Briggs & Stratton Intek™ Series 4175 OHV, AVS® 1 Electric Start 13,2 litres	Briggs & Stratton Intek™ Series 7220 V-Twin OHV 2 Electric Start 13,2 litres	Briggs & Stratton Professional Series™ 8230 V-Twin OHV, EFM 2 Electric Start 15 litres	Briggs & Stratton Professional Series™ 8240 V-Twin OHV 2 Electric Start 15,1 litres	Power Engine Model Cylinders Starting System Fuel Capacity
Hydrostatic 0 - 9,0 km/h 0 - 4,5 km/h	Hydrostatic 0 - 8,9 km/h 0 - 4,8 km/h	Hydrostatic 0 - 8,9 km/h 0 - 4,8 km/h	Hydrostatic 0 - 9,0 km/h 0 - 5,6 km/h	Hydrostatic 0 - 9,3 km/h 0 - 5,6 km/h	Transmission Drive Type Forward Speed Reverse Speed
Steel 15" x 6" 22" x 9,5" 36 cm Manual / -	Steel 15" x 6" 20" x 8" 36 cm Manual / -	Steel 15" x 6" 22" x 10" 36 cm Manual / -	Steel 15" x 6" 20" x 10" 36 cm Electric / -	Steel Channel 16" x 6,5" 23" x 10,5" 46 cm Electric / Manual	Chassis Frame Tyres Front Tyres Rear Turning Radius Deck / Attachment Lift
256 cm 112 cm 121 cm 131 cm 280 kg	182 cm 88 cm 114 cm 127 cm 207 kg	180 cm 98 cm 114 cm 127 cm 242 kg	181 cm 98 cm 115 cm 127 cm 242 kg	191 cm 105 cm 119 cm 138 cm 294 kg	Dimensions Length Width Height Wheel Base Weight
107 cm Frame Hung 350 litres 7 positions / 38 - 89 mm 2	107 cm Frame Hung - 7 positions / 38 - 102 mm 2	117 cm Frame Hung - 7 positions / 38 - 102 mm 3	117 cm Frame Hung - Infinite / 38 - 102 mm 3	132 cm Frame Hung - Infinite 31 - 95 mm 3	Mower Cutting Width Mower Deck Collector Capacity Cut Range Blades
Included Included - - Included Optional Optional 3-Year Limited*	Optional - Optional - - - - 3-Year Limited*	Optional - - Optional Included Optional Optional 3-Year Limited*	Optional - - Optional Included Optional Optional 3-Year Limited*	Optional - - Optional Included Optional Optional 3-Year Limited*	Other Features Mulching Kit Single Bag Collector Twin Bag Collector Triple Bag Collector Gauge Wheel Kit 92 cm Dozer Blade Snowthrower Warranty

EXCEPTIONAL PERFORMANCE

SPECIFICATIONS ZERO TURNS

Model Name	ZTX100 Zero Turn	ZTX300 Zero Turn
Power		
Engine Model	Briggs & Stratton Intek™ Series 7200 V-Twin OHV	Briggs & Stratton Commercial Turf Series™ 8270 V-Twin OHV
Cylinders	2	2
Starting System	Electric Start	Electric Start
Fuel Capacity	11,4 litres	24 litres
Transmission		
Drive Type	Hydro Gear® EZT®	Hydro Gear® 2800
Forward Speed	0 - 9,6 km/h	0 - 11,3 km/h
Reverse Speed	0 - 4,8 km/h	0 - 8,0 km/h
Chassis		
Frame	Steel	Welded Steel
Tyres Front	11" x 4"	11" x 4"
Tyres Rear	18" x 8,5"	20" x 8"
Turning Radius	0 cm	0 cm
Deck / Attachment Lift	Electric / -	Mechanical / -
Dimensions		
Length	190 cm	198 cm
Width	107 cm	107 cm
Height	99 cm	108 cm
Wheel Base	122 cm	121 cm
Weight	251 kg	315 kg
Mower		
Cutting Width	107 cm	132 cm
Mower Deck	Frame Hung	Frame Hung
Collector Capacity	-	-
Cut Range	Infinite / 45 - 120 mm	7 positions / 38 - 115 mm
Blades	2	3
Other Features		
Mulching Kit	Optional	Optional
Single Bag Collector	-	-
Twin Bag Collector	Optional	-
Triple Bag Collector	-	Optional
Gauge Wheel Kit	Included	Included
92 cm Dozer Blade	-	-
Snowthrower	-	-
Warranty	3-Year Limited*	3-Year Limited*

* Applies to residential use only. See operator's manual for complete warranty details. Length of engine warranty coverage varies by manufacturer.

ACCESSORIES



Mulch Plug
Convert your Rear Discharge tractor to a mulching mower.



Mulching Kit
Converts easily to a mulching deck.



Ninja® Mulching Blade
Improve your Rear Engine Rider's mulching performance to the max.



Single Bag Collector
Accessible collection drawer with 175 litre capacity.



Twin Bag Collector
Bag your clippings on a Side Discharge mower.



Triple Bag Collector
Bag your clippings on a Side Discharge mower.



Snow Dozer Blade
Great for clearing paths through snow.



Snowthrower
Great for clearing paths through snow.



Tyre Chains
For use on slippery surfaces like snow and ice.



Your independent Snapper® dealer has a full line of outdoor power equipment to suit every need. Snapper, a member of the Briggs & Stratton Power Products Group, manufactures a wide variety of outdoor power equipment, lawn and garden tractors and snow removal equipment for consumer use. Factory approved parts, accessories and maintenance items are available at authorised dealers.

YOUR SNAPPER® DEALER:

BRIGGS & STRATTON NETHERLANDS BV
PO BOX 12 • 6040 AA ROERMOND • THE NETHERLANDS
TEL: +31 (0) 475 408 383 FAX: +31 (0) 475 408 384

www.snapper.eu

