



Walk Mowers, Lawn Tractors & Zero Turns



**BRIGGS & STRATTON
CORPORATION**

Easy to Use. Easy to Own.

The Easy Choice

Snapper® mowers take practical, innovative features and integrate them into a straightforward design that's easy to use and easy to own. It's that simple.



Get More Work Done

With integrated cargo beds (select models) and other time saving innovations Snapper mowers are built to help you get the job done.



Straightforward Design

With a straightforward approach Snapper mowers are built to be intuitive, durable, and easy-to-use which empowers you to get more work done.



Dependable Productivity

Snapper mowers feature durable, dependable components like Hydro-Gear® transaxles, Briggs & Stratton® and Kawasaki® engines and long lasting steel mower decks to keep your mower cutting for years to come.



Innovating Convenience

With over 16 battery operated lawn care tools the Snapper XD 82V Max* lineup has the right tool for you to get the job done quickly and quietly. Learn more at snapper.com.

Top Reasons To Choose A Snapper Dealer



Snapper Dealers Are Mower Experts

You can actually talk to someone who really knows what they're talking about. Friendly, straight talk you can't get anywhere else.



Try It Out

Test drive your new mower to learn how to operate it.



Hassle-Free Purchase

Your Snapper Dealer can get you started with your new mower including set-up and delivery.



Service Support When You Need It

Factory-trained service technicians and a stocked parts department will keep you mowing for years to come.



HI VAC[®] and NINJA[®] Series

HI VAC Series



NINJA Series



HI VAC Mower Deck

The HI VAC Mower Deck is made of deep-drawn heavy-gauge steel with a rolled bottom edge which creates vacuum-like suction to pick up grass clippings off of your lawn with ease.



NINJA Mulching System

The NINJA Walk Mower's powerful blade with six cutting surfaces finely mulches grass clippings while the deck blows them back into your yard.



Grass Gripper

Rear-wheel drive improves mower traction. The smooth-turn differential helps ensure easy maneuverability without damaging your grass.



Dependable Power

Briggs & Stratton has delivered power to mowers for decades. Available electric start and standard ReadyStart[®] are just a few of our industry leading features. Includes a cast-iron sleeve for longer life.



Available Electric Start

Convenient key electric start for easy starting every time. (P2185020E)

2185020
21" HI VAC, Push
8.50 ft-lbs Gross Torque*
190cc

Briggs & Stratton Professional Series™ OHV Engine

Bagger included. Mulching Kit and Side Discharge Optional

P2185020
21" HI VAC, RWD
8.50 ft-lbs Gross Torque*
190cc

Briggs & Stratton Professional Series OHV Engine

Bagger included. Mulching Kit and Side Discharge Optional

Self-Propelled Rear-Wheel Drive

P2185020E
21" HI VAC, RWD
8.50 ft-lbs Gross Torque*
190cc

Briggs & Stratton Professional Series OHV Engine With Electric Start

Bagger, Mulching Kit and Side Discharge Included

Self-Propelled Rear-Wheel Drive

RP2185020
21" NINJA, RWD
8.50 ft-lbs Gross Torque*
190cc

Briggs & Stratton Professional Series OHV Engine

Mulching Kit and Side Discharge Included, Bagger Optional

Self-Propelled Rear-Wheel Drive

HI VAC

NINJA

Commercial Series



Premium Power

The Briggs & Stratton Professional Series OHV engine delivers professional-grade features including easier starting, smoother and quieter operation, increased durability and a spin-on oil filter for longer life.



High Performance Power

Honda answers the demands for rugged applications with the GXV160 OHV engine.



Easier to Maneuver

The smooth-turn differential helps ensure easy maneuverability without damaging your grass. The rear-wheel drive helps improve mower traction uneven terrain.



Commercial-Grade Features

Whether you're cutting five lawns in a day or just one, the heavy-duty 14-gauge steel mowing deck, reinforced bracing, steel axle and wheels stand up to the task - no matter how tough the job.



Rugged Durability

Rugged steel wheels with ball-bearings provide durability all season long.

CRP218520

21" NINJA, RWD

8.50 ft-lbs Gross Torque*

190cc

Briggs & Stratton Professional Series OHV Engine

NINJA Mulching Kit Included. Bagger and Side Discharge Optional.

Self-Propelled Rear-Wheel Drive, Disc Drive Transmission

CP215520HV

21" HI VAC, RWD

7.1 ft-lbs Net Torque**

163cc

Honda GXV160 OHV Engine

HI VAC Bagger included. Mulching Kit and Side Discharge Optional.

Self-Propelled Rear-Wheel Drive, Disc Drive Transmission


*All power levels are stated gross torque at 2600 RPM per SAE J1940 as rated by Briggs & Stratton.

**Power rated by engine manufacturer.

For a full list of specifications, please see page 17.



Rear Engine Rider




Tried and True

Some dependable designs are ingeniously simple. Snapper's disc drive transmission uses a spinning plate to power a moveable rubber disc.



HI VAC Mower Deck

Similar to a vacuum, the HI VAC mower deck efficiently cuts and vacuums up grass clippings for a clean finish. The secret to the cut is the unique blade and rolled deck edge that generates a large volume of air and creates suction.



Optional NINJA Mulching Blade

Finely mulch your grass with our exclusive NINJA Blade that features six powerful cutting surfaces. While the blade mulches the grass clippings, the deck design blows them back into the lawn.



Getting Started

Briggs & Stratton engines offer the reliability you can count on when mowing the lawn.



Easy-to-Use Design

After over 50 years of proven performance, the rear engine rider has been engineered to maintain tried and true features that the Snapper brand is known for. An easy-to-use design with enhanced features still delivers the same dependability you would expect from a mowing icon.



Vertical Stand-On-Edge Capability

Take up less room in storage and make deck maintenance simple by easily and safely standing the rear engine rider on its end.

2691525
28" Deck
11.5 Gross HP*

344cc Briggs & Stratton
Intek™ Engine

HI VAC Mower Deck

Articulating Frame with
Disc Drive Transmission

2691526
33" Deck
15.5 Gross HP*

500cc Briggs & Stratton
Intek Engine

HI VAC Mower Deck

Articulating Frame with
Disc Drive Transmission

*All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton.
For a full list of specifications, please see page 18.
Attachment listing, please see page 16.

See What Snapper Owners Are Saying:

★★★★★ 5 out of 5 stars

Small footprint in my garage, GREAT job on my lawn!

"LOVE the handling, speed range (especially with new notched shift plate they provided free), easy change from side chute to mulch, and small storage space needed in my garage. Best rider I've owned for my 1/3 acre yard." -*Snapper John*

To read more customer reviews like this visit www.snapper.com

An American Classic Reborn.



SPX™ Series



Step Up to High Value

Steel construction including the hood, cast-iron front axle and a hydrostatic transmission are hallmarks of SPX Tractors. The now standard steel front bumper provides added durability.




Quick-Adjust Cutting Height

Easy-to-use height-of-cut controls adjust the mower deck for changing grass conditions.



Fabricated Mower Decks

The durable 42" and 48" fabricated mower decks feature welded, heavy-duty steel for non-stop mowing season-after-season. All fabricated decks come with a limited lifetime warranty†.



Step On It

Our responsive foot pedals give you hands-free control over forward and reverse speed. The dash mounted cruise control lets you comfortably set your speed.



Turning Perfection

With a 14" turning radius, you can spend less time mowing and more time enjoying your yard.



Illuminating LED Headlights

LED headlights brighten your path when mowing at dawn or dusk.

SPX 23/42 42" Deck 23 Gross HP*

724cc Briggs & Stratton
Intek V-Twin Engine
Tuff-Torq® K46
Hydrostatic
Transmission

SPX 23/46 46" Deck 23 Gross HP*

724cc Briggs & Stratton
Intek V-Twin Engine
Tuff-Torq K46
Hydrostatic
Transmission

SPX 25/42 42" Fabricated Deck 25 Gross HP*

724cc Briggs & Stratton
Professional Series
V-Twin Engine
Tuff-Torq K46
Hydrostatic
Transmission

SPX 25/48 48" Fabricated Deck 25 Gross HP*

724cc Briggs & Stratton
Professional Series
V-Twin Engine
Tuff-Torq K46
Hydrostatic
Transmission

 Text RIDE to 33988
to see it in action!

Data rates apply.

*All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton.

†See operator's manual or www.snapper.com for complete warranty details.

For a full list of specifications, please see page 18-19.

Attachment listing, please see page 16.

See What Snapper Owners Are Saying:

★★★★★ 5 out of 5 stars

Great Ride

"The performance is simply awesome. This is a very well thought out machine. Turn radius is as advertised, plus the mower is comfortable to operate." - *Glennj*

To read more customer reviews like this visit www.snapper.com

Straightforward Design.



360Z



Compact Footprint

36-inch compact fabricated deck options make it easy to navigate even the tightest parts of your lawn and takes up less space when in storage.



Commercially-Inspired

A fully-welded steel frame, thick-walled front axle, durable mower deck, long-lasting caster spindles ensure durability and a great cut.



Engine Options

High performance engine options include Briggs & Stratton Professional Series with No Prime No Choke ReadyStart technology, and the Kawasaki FR series making sure your zero turn mower has the power to perform year after year.



More Than Just a Zero Turn

Snapper's first dirt-hauling, tool-toting, flower-delivering and, of course, grass-cutting zero turn mower. The integrated cargo bed* provides on-the-go versatility and convenience. Plus, the rail system is compatible with numerous third-party UTV/ATV accessories for added utility around your yard.

360Z 19/36 36" Fabricated Deck 19 Gross HP**

500cc Briggs & Stratton Professional Series OHV Engine
Hydro-Gear® EZT® Hydrostatic Transaxles

360Z 18/36 36" Fabricated Deck 18 Gross HP*

603cc Kawasaki FR600V V-Twin OHV
Hydro-Gear EZT Hydrostatic Transaxles
Optional Cargo Bed†

360Z 23/46 46" Deck 23 Gross HP**

724cc Briggs & Stratton Professional Series V-Twin OHV
Hydro-Gear EZT Hydrostatic Transaxles
Optional Cargo Bed†

360Z 21.5/42 42" Fabricated Deck 21.5 Gross HP*

726cc Kawasaki FR Series V-Twin Engine
Hydro-Gear EZT Hydrostatic Transaxles
Optional Cargo Bed†

360Z 23/42 42" Fabricated Deck 23 Gross HP**

724cc Briggs & Stratton Professional Series V-Twin Engine with ReadyStart
Hydro-Gear EZT Hydrostatic Transaxles
Optional Cargo Bed†

360Z 21.5/48 48" Fabricated Deck 21.5 Gross HP*

726cc Kawasaki FR Series V-Twin Engine
Hydro-Gear EZT Hydrostatic Transaxles
Cargo Bed†

360Z 23/48 48" Fabricated Deck 23 Gross HP**

724cc Briggs & Stratton Professional Series V-Twin Engine with ReadyStart
Hydro-Gear EZT Hydrostatic Transaxles
Cargo Bed†

360Z 25/52 52" Fabricated Deck 25 Gross HP**

724cc Briggs & Stratton Professional Series V-Twin Engine with ReadyStart
Hydro-Gear ZT-2800 Hydrostatic Transaxles
Cargo Bed†

*All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.

**All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton.

†See operator's manual or www.snapper.com for complete warranty details.

‡50 lb. capacity, do not overload; do not carry passengers. Available on select models. See operator's manual for details. Additional cargo bed accessories sold separately. Ask dealer for details. For a full list of specifications, please see page 20.

Attachment listing, please see page 16.

See What Snapper Owners Are Saying:

★★★★★ 5 out of 5 stars

Best Mower I've Ever Had

"Bought this mower... and it is great. Our yard is about 3 acres and while I've had some good mowers, this one is the best. This is the first zero turn mower I've ever had, and it has shortened my mowing time down to 1 1/2 hour. It used to take me about 3 hours. Wished I'd bought one sooner." - *Catfish*

www.snapper.com

New Levels of Versatility.



460Z



More Choices

More is better when it comes to cutting height options with 12 different settings from 1.5 to 4.5 inches high. The foot-pedal assisted deck lift makes changing mowing heights easier.



Mow More. Stop Less.

Its wide-neck 5.5 gallon fuel tank and easy-off cap holds more fuel for your uninterrupted mowing pleasure.



Fabricated Steel Mowing Deck

Snapper fabricated mowing decks are made to last with reinforced top, side, corners, and front to ensure excellent cut quality and durability.



Turf-Friendly

There's a fine line between turf traction and turf damage. That's why the large, turf-friendly tires leave grass just like you found it, but shorter.



Rugged Durability

With its heavy-duty, all-steel construction frame, contour hugging front axle and reliable Hydro-Gear Transaxles, this zero turn is built to perform year after year.



Workhorse

Built for harsh zero turn mowing conditions, the Briggs & Stratton Commercial Series engine has what it takes to perform, including an advanced debris management system and beefed up cylinder block.

460Z 21.5/48
48" Fabricated Deck
21.5 Gross HP*

726cc Kawasaki FR Series V-Twin Engine
Hydro-Gear ZT-3100® Hydrostatic Transaxles

460Z 25/48
48" Fabricated Deck
25 Gross HP**

724cc Briggs & Stratton Commercial Series V-Twin Engine
Hydro-Gear ZT-3100 Hydrostatic Transaxles

*All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.

**All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton.
For a full list of specifications, please see page 21.

Attachment listing, please see page 16.

See What Snapper Owners Are Saying:

★★★★★ 5 out of 5 stars

BEST EVER

"The best money I ever spent. I can't keep my son-in-law off my mower." -GW1956

To read more customer reviews like this visit www.snapper.com

The Right Mower for the Big Job.



560Z



Choose Your Power

Built for harsh zero turn mowing conditions, the Briggs & Stratton Commercial Series Engine has what it takes to perform for years to come. The Kawasaki FR Series Engine offers smooth power output and durability.



Efficient Mowing

Wide, 52" or 61" fabricated mower decks made from thick 10-gauge steel mow grass in no time with speeds up to 9 mph. Welded and reinforced for years of repeat mowing and are also backed by a limited lifetime warranty*.



Simple Height-of-Cut

Convenient foot-assisted mower deck lift easily adjusts cut-height from 1.5 to 4.5 inches.



Rugged Durability

Commercial-inspired components such as rugged 1.5" x 2" steel front axle, high-performance Hydro-Gear ZT-3200® Hydrostatic Transaxles and a wrap-around steel bumper ensure this mower is built to handle tough applications.



Added Versatility

The integrated cargo bed* dumps to the rear for easy clean-out and provides on-the-go versatility for dirt-hauling, tool-toting and flower-delivering. The rail system is also compatible with numerous third-party UTV/ATV accessories for added utility.



Intuitive Controls

Easy-to-use controls are all conveniently located within reach. A wide-mouth gas fill ensures you can easily fill gasoline without any spills.

560Z 24/52
52" Fabricated Deck
24 Gross HP*

726cc Kawasaki FR Series V-Twin Engine
Hydro-Gear ZT-3200 Hydrostatic Transaxles
Optional Cargo Bed†

560Z 25/52
52" Fabricated Deck
25 Gross HP**

724cc Briggs & Stratton Commercial Series V-Twin Engine
Hydro-Gear ZT-3200 Hydrostatic Transaxles
Optional Cargo Bed†

560Z 24/61
61" Fabricated Deck
24 Gross HP*

726cc Kawasaki FR Series V-Twin Engine
Hydro-Gear ZT-3200 Hydrostatic Transaxles
Optional Cargo Bed†

560Z 25/61
61" Fabricated Deck
25 Gross HP**

724cc Briggs & Stratton Commercial Series V-Twin Engine
Hydro-Gear ZT-3200 Hydrostatic Transaxles
Optional Cargo Bed†

560Z 24/61
61" Fabricated Deck
24 Gross HP*

726cc Kawasaki FR Series V-Twin Engine
Hydro-Gear ZT-3200 Hydrostatic Transaxles
Cargo Bed†

560Z 25/61
61" Fabricated Deck
25 Gross HP**

724cc Briggs & Stratton Commercial Series V-Twin Engine
Hydro-Gear ZT-3200 Hydrostatic Transaxles
Cargo Bed†

*All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.

**All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton.

†See operator's manual or www.snapper.com for complete warranty details.

*100 lb. capacity, do not overload; do not carry passengers. Available on select models. See operator's manual for details.

For a full list of specifications, please see page 21.

Attachment listing, please see page 16.

See What Snapper Owners Are Saying:

★★★★★ 5 out of 5 stars
Great Deal of a Mower

"I've had this mower 2 weeks now and I absolutely love this mower. With this beast it takes 1 hour or less to cut the same area and don't have to worry about the grass clogging up chute plus the lawn looks great (no more clumps). I would highly recommend this mower to anyone who doesn't have the time to spend on having to spend 1/2 a day trying to get a great looking the lawn." - *Mowing NC*

To read more customer reviews like this visit www.snapper.com

Professional Grade Plus Utility.



It's Easy to Get Attached.

When it comes to yard care, mowing is not always enough, sometimes you want a variety of tools at your fingertips to complete the broad range of tasks for a great looking yard.

		Rear Engine Riders & Lawn Tractors		Zero Turn Mowers		
CATCHERS & COLLECTION SYSTEMS	ATTACHMENT	Rear Engine Rider	SPX™	360Z	460Z	560Z
	Mulcher Kit	NINJA® Mulching Blade	42", 46", 48"	36", 42", 46", 48", 52"	48"	52", 61"
	Single Catcher*	5-bu. (28", 33" mower - requires bagging blade)				
	Twin Catcher*		6.5-bu. (42" mower)	6.5-bu. (36", 42", 46", 48", 52" mower)	10-bu. (48" mower)	
	Deck Adapter Kit			36", 42", 46", 48" mower (needed for use with Twin Catcher)		
	Triple Catcher		10-bu. (46", 48" mower)			10-bu. (52", 61" mower)
	Turbo Attachment		46", 48" mower	52" mower	48" mower	52", 61" mower (required)
	Striping Kit					
MULTIPURPOSE ATTACHMENTS	Dump Cart	10-cu. ft.	10-cu. ft.	10-cu. ft.		
	Front & Rear Weight Carriers		Available			Available (front)
	Suitcase Weights		33-lb.			50-lb.
	Quick Attach Rear Wheel Weights		31-lb.			
	Hitch Kit		(Standard)	36" Req. Accessory (Not Standard)	Available	
	Headlight Kit	Available		Available	Available	Available
	Arm Rest Kit		Available (42", 46")	Available	Available	Available
	Cargo Bed**			(Standard on 48", 52")		(Standard on Some Models)
	Cargo Bed Rhino Grips			Compatible with Cargo Bed**		Compatible with Cargo Bed**
	Mesh Seat Kit			Available		
	Hour Meter Kit		(Standard)	(Standard)	(Standard)	(Standard)
	Caster Tire, Flat Free Kit				Available	Available
	Dust Cover	Available	Available			
	Front Bumper		Steel Tube			
SNOW REMOVAL ATTACHMENTS	Single-Stage Snow Blower		42"			
	Snow Cab		Soft Side (All Vinyl)			
GROUND ENGAGING ATTACHMENTS	Tiller		36" Gas-Powered Tow-Behind			
	Dozer Blade		42" Includes Hitch & Lever			
	Dethatcher		40" Tow-Behind			

*Select collection systems for zero turn models are available with or without a turbo.

**50-lb. (360Z) or 100-lb. (560Z) capacity, do not overload; do not carry passengers. Standard on most models. See operator's manual for details.

†All power levels are stated gross torque at 2600 RPM per SAE J1940 as rated by Briggs & Stratton.

‡Power rated by engine manufacturer.

^See operator's manual or www.snapper.com for complete warranty details. Length of engine warranty coverage varies by manufacturer.

Note: Attachments for previous year models and additional attachments through allied equipment manufacturers not shown may be available. Some attachments require additional installation components (i.e. front weights for catchers). Please see dealer for details.



Walk Mower Specifications

HI VAC®/NINJA® Series

Commercial Series

Model	2185020	P2185020	P2185020E	RP2185020	CRP218520	CP215520HV
Engine						
Brand	Briggs & Stratton Professional Series™					Honda GXV160
Technology	OHV					
Torque	8.50 ft-lbs¹ Gross					7.1 ft-lbs¹
Displacement	190cc					163cc
Choke	ReadyStart® No Prime, No Choke					Manual Choke
Starting Type	Recoil		Key Electric, Recoil	Recoil		Recoil
Engine Features	Cast-iron Sleeve				Spin-on Oil Filter	
Mower Configuration						
Side Discharge	Optional		Standard		Optional	
Mulching	Optional		Standard	NINJA®		Optional
Bagging	HI VAC®			Optional		HI VAC®
Limited Warranty^						
Residential	3-Year					
Commercial	90-Day					

Tractor Specifications

Model	RER-2811525BVE		RER-3315525BVE		SPX™ 23/42	
Engine						
Brand	Briggs & Stratton Intek™ Engine				Briggs & Stratton Intek™ V-Twin OHV	
Power Rating / Cylinders	11.5´ / 1		15.5´ / 1		23´ / 2	
Engine Displacement (cc)	344		500		724	
Choke / Throttle	Choke-a-Matic					
Start Type	Key					
Engine Features	Spin-On Oil Filter					
Fuel Tank Capacity (U.S. Gallons)	1.35				3.5	
12V Battery (cca)	190				230	
Transmission						
Transmission Make	Snapper® Disc Drive				Tuff-Torq® K46	
Differential	5-Speed, Disc Drive				Hydro	
Speed Control Design	Gear Shift Lever				Foot Pedals	
Speed- Fwd / Rev. (mph)	1 - 4.5 / 0 - 1.9				0 - 5.5 / 0 - 3.3	
Brake	Friction				Disc	
Chassis						
Frame	12-Gauge Steel					
Front Axle	Welded Steel				Cast-Iron	
Turning Radius (inches)	28				14	
Front Tires (inches)	11 x 4				15 x 6	
Rear Tires (inches)	16 x 6.50				20 x 8	
Number of Anti-Scalp Wheels	N/A				2	
Seat	11" Mid-Back, Adjustable				15" Mid-Back, Adjustable	
Steering	Quick Response Handle				Soft Grip, Wheel	
Mower Deck						
Deck Type	Stamped Steel					
Cutting Width (inches)	28		33		42	
Mower Configuration	Mulching & Side Discharge				Side Discharge	
Number of Blades	1				2	
Height-of-Cut Range (inches)	1.5 - 4					
Height-of-Cut Positions	5				7	
Blade Engagement	Manual Lever				Electric	
Deck Suspension	Frame Hung					
Deck Thickness	13-Gauge				14-Gauge	
Spindles	Steel				Aluminum	
Mower Deck Lift	Mechanical, Single Lever					
Features						
Cruise Control	No				Yes	
Headlights	No				LED	
Hour Meter	No				Yes	
Cup Holder	No				Yes	
Fuel Level Indicator	No				Sight	
Front Bumper	No				Yes	
Dimensions						
Length x Width x Height (inches)	66 x 32 x 43		66 x 37 x 43		71 x 55 x 45	
Limited Warranty**						
Residential	3-year					
Commercial	90-day					
Fabricated Mower Deck	N/A					

*All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton.

**See operator's manual or www.snapper.com for complete warranty details. Length of engine warranty coverage varies by manufacturer.

SPX™ 23/46		SPX™ 25/42		SPX™ 25/48	
Briggs & Stratton Intek™ V-Twin OHV		Briggs & Stratton Professional Series™ V-Twin OHV			
23' / 2		25' / 2			
		724			
		Choke-a-Matic			
		Key			
		Spin-On Oil Filter			
		3.5			
		230			
		Tuff-Torq® K46			
		Hydro			
		Foot Pedals			
		0 - 5.5 / 0 - 3.3			
		Disc			
		12-Gauge Steel			
		Cast-Iron			
		14			
		15 x 6			
20 x 8		20 x 10			
		4			
15" Mid-Back, Adjustable		15" Contoured Mid-Back, Adjustable			
		Soft Grip, Wheel			
Stamped Steel		Fabricated Steel			
46		42		48	
		Side Discharge			
3		2		3	
		1.5 - 4			
		7			
		Electric			
		Frame Hung			
14-Gauge		12-Gauge			
		Aluminum			
		Mechanical, Single Lever			
		Yes			
		LED			
		Yes			
		Yes			
		Sight			
		Yes			
71 x 59 x 45		74 x 53 x 46		74 x 59 x 46	
		3-year			
		90-day			
N/A		Limited Lifetime			

Zero Turn Specifications

Model	360Z - 19/36	360Z - 18/36	360Z - 23/46	360Z - 21.5/42	360Z - 23/42	360Z - 23/48	360Z - 21.5/48	360Z - 25/52
Engine								
Brand	Briggs & Stratton Professional Series™ OHV	Kawasaki® FR600V V-Twin OHV	Briggs & Stratton Professional Series™ V-Twin OHV	Kawasaki® FR651V V-Twin OHV	Briggs & Stratton Professional Series™ V-Twin OHV	Briggs & Stratton Professional Series™ V-Twin OHV	Kawasaki® FR651V V-Twin OHV	Briggs & Stratton Professional Series™ V-Twin OHV
Power Rating / Cylinders	19´ / 1	18¨ / 2	23´ / 2	21.5¨ / 2	23´ / 2	23´ / 2	21.5¨ / 2	25* / 2
Engine Displacement (cc)	500	603	724	726	724		726	724
Choke / Throttle	Choke-a-Matic	Separate Controls	ReadyStart®	Separate Controls	ReadyStart®		Separate Controls	ReadyStart®
Start Type	Key							
Engine Features	Spin-On Oil Filter							
Fuel Tank Capacity (U.S. Gallons)	3.0							
12V Battery (cca)	230							
Transaxles								
Make	Hydro-Gear® EZT®							Hydro-Gear® ZT-2800®
Differential	Hydro							
Speed- Fwd / Rev. (mph)	0-6 / 0-3			0-7 / 0-4				0-8 / 0-4
Brake	Integrated							
Chassis								
Frame	12-Gauge Welded							
Front Axle	Welded Steel, Fixed							
Front Tires (inches)	11 x 4							
Rear Tires (inches)	18 x 6.5		18 x 8.5	20 x 8				20 x 10
Number of Anti-Scalp Wheels	None			1 Front, 1 Rear		2 Front		2 Front
Seat	15" Mid-Back, Adjustable							
Steering	Twin-Lever							
Mower Deck								
Deck Type	Fabricated Steel		Stamped Steel	Fabricated Steel				
Cutting Width (inches)	36		46	42		48		52
Mower Configuration	Side Discharge							
Number of Blades	2		3	2		3		
Height-of-Cut Range (inches)	1.5 - 4.5							
Height-of-Cut Positions	7			13				
Blade Engagement	Electric							
Deck Suspension	Frame Hung							
Deck Thickness	12-Gauge		14-Gauge	12-Gauge				10-Gauge
Spindle	Aluminum							
Mower Deck Lift	Mechanical, Foot Operated							
Features								
Cargo Bed†	No	Optional				Yes		Yes
Roll Over Protection System (ROPS)	No							No
Rear Hitch Kit	Yes							Yes
Hour Meter	Yes							
Cup Holder	Yes							
Fuel Level Indicator	No							Yes
Dimensions								
Length x Width x Height (inches)	66 x 50 x 39	70 x 50 x 39	70 x 56 x 39	72 x 55 x 42	72 x 55 x 42	72 x 59 x 42	72 x 59 x 42	72 x 65 x 43
Limited Warranty†								
Residential	3-year							
Commercial	90-day							
Fabricated Mower Deck	Limited Lifetime							

*All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton.

**All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.

460Z - 21.5/48	460Z - 25/48	560Z - 24/52	560Z - 25/52	560Z - 24/61	560Z - 24/61	560Z - 25/61	560Z - 25/61
Kawasaki® FR651V V-Twin OHV	Briggs & Stratton® Commercial Series V-Twin OHV	Kawasaki® FR730V V-Twin OHV	Briggs & Stratton® Commercial Series V-Twin OHV	Kawasaki® FR730V V-Twin OHV	Kawasaki® FR730V V-Twin OHV	Briggs & Stratton® Commercial Series V-Twin OHV	Briggs & Stratton® Commercial Series V-Twin OHV
21.5** / 2	25´ / 2	24** / 2	25´ / 2	24** / 2	24** / 2	25´ / 2	25´ / 2
726	724	726	724	726		724	
Separate Controls							
Key							
Spin-On Oil Filter							
5-5							
350		300					
Hydro-Gear® ZT-3100®		Hydro-Gear® ZT-3200®					
Hydro							
0-8 / 0-4		0-9 / 0-4					
Separate Lever							
11-Gauge Welded							
Welded Steel, Fixed							
11 x 4		13 x 5					
20 x 10		22 x 11					
1 Front		4 Front					
18" High-Back, Adjustable							
Twin-Lever							
Fabricated Steel							
48		52		61			
Side Discharge							
3							
1.5 - 4.5							
11		12					
Electric							
Frame Hung							
10-Gauge							
Aluminum							
Mechanical, Foot Operated							
No		Optional			Yes	Optional	Yes
No					Yes		
Optional					No		
Yes							
Yes							
Yes							
70 x 60 x 42	70 x 60 x 42	81 x 68 x 68	81 x 68 x 68	81 x 77 x 68	87 x 77 x 68	81 x 77 x 68	87 x 77 x 68
3-year							
90-day							
Limited Lifetime							

†See operator's manual or www.snapper.com for complete warranty details. Length of engine coverage varies by manufacturer.

‡50 lb. capacity (360Z) or 100 lb. (560Z), do not overload; do not carry passengers. Available on select models. See operator's manual for details.



Easy to Use. Easy to Own.

SNAPPER.COM   

Get your digital edition now!



Text DIGITAL to 33988
for a digital copy of this
brochure.

Data rates apply.



Be careful fueling your small gasoline engines in your mowers. Fuel with ethanol can cause damage to your engine including poor starting, rough running, rust, corrosion and in some cases failure.

For more information visit:
www.LookBeforeYouPump.com

Briggs & Stratton Corporation has a policy of continuous product improvement and reserves the right to modify its specifications at any time and without prior notice. Products may vary from images shown.

Briggs & Stratton: All power levels are stated gross horsepower at 3600 rpm per SAE J1940.

Kawasaki: Only Kawasaki Critical Power engines listed in this brochure have been tested in accordance with SAE J1995, verified by TÜV Rheinland Group, horsepower-rated in accordance with SAE J2723, and certified by SAE International. Torque ratings of these engines were not certified by SAE. Actual power and torque output will vary depending on numerous factors, including, but not limited to, the operating speed of the engine in application, environmental conditions, maintenance, and other variables.

BRIGGS&STRATTON CORPORATION
MILWAUKEE, WI 53201-0702 USA
(414) 259-5333
Copyright ©2019. All rights reserved.